

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	8	((("6553029") or ("6804236") or ("6785274") or ("6735201"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/07 08:15
L3	0	(compar\$4) with (range) with (MAC) same (Infiniband) same (switch or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:05
L4	0	(compar\$4) same (range) same (MAC) same (Infiniband) same (switch or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:05
L5	238207	(compar\$4) same (range) same (MAC) sand(Infiniband) same (switch or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:05
L6	0	(compar\$4) same (range) same (MAC) and (Infiniband) same (switch or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:05
L7	7	(compar\$4) same (range) same (MAC) and (Infini\$5) same (switch or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:07
L8	9	(compar\$4 or table) same (range) same (MAC) and (Infini\$5) same (switch or node) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:07
L9	2	I8 not I7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:07
L10	47	(send\$4 or transmit\$4) same (multiple or many or node) with Infiniband and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:19

L11	0	(send\$4 or transmit\$4) same (multiple or many or node) with Infiniband with MAC and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:17
L12	1	(send\$4 or transmit\$4) same (multiple or many or node) with Infiniband same MAC and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:19
L13	5	((send\$4 or transmit\$4) same (multiple or many or node) with Infiniband).ab. and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:25
L14	3	(MAC) with (detector) same (transmit\$4 or send\$4) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:31
L15	4	(MAC) with (detector) same (transmit\$4 or send\$4) same (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:28
L16	0	(MAC) near3 (detector) same (transmit\$4 or send\$4) same (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:28
L17	1	l15 not l14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:28
L18	13	(MAC) same (detector) same (transmit\$4 or send\$4) same (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:28
L19	9	l18 not l15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:28
L20	342	(MAC) near2 address same (transmit\$4 or send\$4) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:32

L21	85	(MAC) near2 address near4 table same (transmit\$4 or send\$4) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:32
L22	31	(MAC) near2 address near4 table with(transmit\$4 or send\$4) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:39
L23	0	(MAC) near2 address near4 table same (transmit\$4 or send\$4 or forward\$4) with (umwant\$4) same (address or MAC or packet) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:52
L24	0	(MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) with (umwant\$4) same (address or MAC or packet) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:40
L25	8	(MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) with (unwant\$4) same (address or MAC or packet) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:40
L26	8	(MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) with (unwant\$4) same (address or MAC or packet) same (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:41
L27	11	(MAC) near2 address near4 table and (transmit\$4 or send\$4 or forward\$4) same (unwant\$4) same (address or MAC or packet) same (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:41
L28	3	L27 not L26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:44
L29	0	(deliver\$4 or transmit\$4 or send\$4) with (unwant\$4) near3 (packet or address or MAC or IP) with (switch or node or router) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:45
L30	10	(deliver\$4 or transmit\$4 or send\$4) same (unwant\$4) near3 (packet or address or MAC or IP) with (switch or node or router) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:45

L31	86	(MAC) near2 address near4 table same (retransmit\$4 or resend\$4 or forward\$4) same (address or MAC or packet) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 08:52
L32	7	(MAC) near2 address near4 table same (retransmit\$4 or resend\$4) same (address or MAC or packet) with (switch) and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 09:15
L33	7	(MAC) near2 address near4 table same (retransmit\$4 or resend\$4) same (address or MAC or packet) with (switch) same (vlan or vwan or "virtual network") and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 09:16
L34	10	(re\$send or re\$transmit\$4) with (MAC or IP) same address with switch and @ad<="20020110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/07 10:30
S1	6	((("6438128") or ("6661787") or ("20020191599")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/07 07:59